


# Shape Up – 5 pc




## APPEARANCE

Materials	Steel, brass, aluminum, glass
Suspension	8' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

## TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	5.2w; 120v or 220v
Lamp detail	240 lumens, 2700k, 50000 hours, dimmable
Compatibility	Most international
Certification	UL, cUL (120v)
Weight	30 lb.

# Shape Up – 5 pc



## REC. USE / SPACES

Ambient/accent lighting  
 Dining room  
 Living room  
 Statement corner  
 Stairwell  
 Entrance

## PREPARE FOR INSTALL

This is a low voltage fixture. Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:  
 120V: LTF TA60WD12LED  
 220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at [lfttechnology.com](http://lfttechnology.com).



### BULB

Included  
 G4 bi-pin  
 2.6W, 12V LED  
 (5.2 Watts output)



### COLOR TEMP

2700K



### LUMENS SCALE

240 lm



### DIMMING


ELV

### OTHER NOTES

Electronic wall dimmer required

\* Standard installation allows for up to 8' drop from ceiling

# Shape Up – 5 pc



## MATERIAL OPTIONS

\*A vast array of custom materials and finishes are available for most products upon request.

### HARDWARE



Brass  
(brushed)

### SHADE



Brass  
(brushed)



Blackened  
Steel



Copper  
(brushed)

### GLASS



Celadon



Midnight



Fog

### CORD



Currant



Black

# Shape Up – 5 pc

